


Improving Quantum Dot Interactions, One Layer at a Time



2020-11-22

Osaka City University scientists and colleagues in Japan have found a way to control the interaction between quantum dots that could greatly improve charge transport, leading to more efficient solar cells.

Nanomaterials engineer DaeGwi Kim led a team of scientists at [Osaka City University](#), RIKEN Center for Emergent Matter Science, and [Kyoto University](#) to investigate ways to control a property called quantum resonance in layered structures of quantum dots called superlattices. Their findings were published in the journal [Nature Communications](#).

“Our simple method for fine-tuning quantum resonance is an important contribution to both optical materials and nanoscale material processing,” says Kim.

Quantum dots are nanometer-sized semiconductor particles with interesting optical and electronic properties. When light is shone on them, for example, they emit strong light at room temperature, a property called photoluminescence. When quantum dots are close enough to each other, their electronic states are coupled, a phenomenon called quantum resonance. This greatly improves their ability to transport electrons between them. Scientists have been wanting to manufacture devices using this interaction, including solar cells, display technologies, and thermoelectric devices.

However, they have so far found it difficult to control the distances between quantum dots in 1D, 2D and 3D structures. Current fabrication processes use long ligands to hold quantum dots together, which hinders their interactions.



Low quantum dot concentrations during superlattice fabrication suppresses quantum resonance between

dots in the same layer, while high concentrations activates it.

Kim and his colleagues found they could detect and control quantum resonance by using cadmium telluride quantum dots connected with short N-acetyl-L-cysteine ligands. They controlled the distance between quantum dot layers by placing a spacer layer between them made of oppositely charged polyelectrolytes. Quantum resonance is detected between stacked dots when the spacer layer is thinner than two nanometers. The scientists also controlled the distance between quantum dots in a single layer, and thus quantum resonance, by changing the concentration of quantum dots used in the layering process.

The team next plans to study the optical properties, especially photoluminescence, of quantum dot superlattices made using their layer-by-layer approach. “This is extremely important for realizing new optical electronic devices made with quantum dot superlattices,” says Kim.

Kim adds that their fabrication method can be used with other types of water-soluble quantum dots and nanoparticles. “Combining different types of semiconductor quantum dots, or combining semiconductor quantum dots with other nanoparticles, will expand the possibilities of new material design,” says Kim.

Read the [original article](#) on Osaka City University.