

---

## Faster, Greener Way of Producing Carbon Spheres could Improve Carbon Capture Technology

2020-12-31

A fast, green and one-step method for producing porous carbon spheres, which are a vital component for carbon capture technology and for new ways of storing renewable energy, has been developed by Swansea University researchers.

The method produces spheres that have good capacity for carbon capture, and it works effectively at a large scale.

Carbon spheres range in size from nanometers to micrometers. Over the past decade they have begun to play an important role in areas such as energy storage and conversion, catalysis, gas adsorption and storage, drug and enzyme delivery, and water treatment.

They are also at the heart of carbon capture technology, which locks up carbon rather than emitting it into the atmosphere, thereby helping to tackle climate change.

The problem is that existing methods of making carbon spheres have drawbacks. They can be expensive or impractical, or they produce spheres that perform poorly in capturing carbon. Some use biomass, making them more environmentally friendly, but they require a chemical to activate them.



Carbon spheres: microscopy image

This is where the work of the [Swansea](#) team, based in the University's [Energy Safety Research Institute](#), represents a major advance. It points the way towards a better, cleaner and greener way of producing carbon spheres. The research was published in the journal

["Carbon"](#).

The team adapted an existing method known as CVD – chemical vapour deposition. This involves using heat to apply a coating to a material. Using pyromellitic acid as both carbon and oxygen source, they applied the CVD method at different temperatures, from 600–900 °C. They then studied how efficiently the spheres were capturing CO<sub>2</sub> at different pressures and temperatures.

**They found that:**

- 800 °C was the optimum temperature for forming carbon spheres,
- The ultramicropores in the spheres that were produced gave them a high carbon capture capacity at both atmospheric and lower pressures,
- Specific surface area and total pore volume were influenced by the deposition temperature, leading to an appreciable change in overall carbon dioxide capture capacity,
- At atmospheric pressure the highest CO<sub>2</sub> adsorption capacities, measured in millimolars per gram, for the best carbon spheres, were around 4.0 at 0 °C and 2.9 at 25 °C.

This new approach brings several advantages over existing methods of producing carbon spheres. It is alkali-free and it doesn't need a catalyst to trigger the shaping of the spheres. It uses a cheap and safe feedstock which is readily available in the market. There is no need for solvents to purify the material. It is also a rapid and safe procedure.

Dr Saeid Khodabakhshi of the Energy Safety Research Institute at Swansea University, who led the research, said: "Carbon spheres are fast becoming vital products for a green and sustainable future. Our research shows a green and sustainable way of making them.

We demonstrated a safe, clean and rapid way of producing the spheres. Crucially, the micropores in our spheres means they perform very well in capturing carbon.

Unlike other CVD methods, our procedure can produce spheres at large scale without relying on hazardous gas and liquid feedstocks.

Carbon spheres are also being examined for potential use in batteries and supercapacitors.

So in time, they could become essential to renewable energy storage, just as they already are for carbon capture.”

Read the [original article](#) on Swansea University.