



## Rice 'Flashes' New 2D Materials

2021-01-15

Rice University scientists have extended their technique to produce graphene in a flash to tailor the properties of other 2D materials.

The labs of chemist James Tour and materials theorist Boris Yakobson reported in the American Chemical Society's [ACS Nano](#) they have successfully "flashed" bulk amounts of 2D dichalcogenides, changing them from semiconductors to metallics. Such materials are valuable for electronics, catalysis and as lubricants, among other applications.

The process employs flash Joule heating — using an electrical charge to dramatically raise the material's temperature — to convert semiconducting molybdenum disulfide and tungsten disulfide. The duration of the pulse and select additives can also control the now-metallic products' properties.



Rice University scientists extended their technique to produce graphene in a flash to tailor the properties of 2D dichalcogenides molybdenum disulfide and tungsten disulfide, quickly turning them into metastable metallics for electronic and optical applications.

"This rapid process permits us to make an entirely new class of highly valued materials in large scale and without the use of solvents or water," Tour said.

Two-dimensional dichalcogenides look like hexagonal graphene from above, but viewing them from an angle reveals a sandwichlike structure. In molybdenum disulfide, for instance, a single plane of molybdenum atoms sits between similar, but offset, planes of sulfur.

Making each material in its metallic phase (known as 1T) previously required far more complex processes, according to the researchers. Even then, the products were known to be

unstable in ambient conditions. Flash Joule heating appears to solve that problem, producing metastable dichalcogenides in a thousandth of a second.

Powdered, commercially available dichalcogenides mixed with carbon black or tungsten powder to increase their conductivity were placed in a ceramic tube capped with electrodes and flashed with more than 1,350 amps of power for a fraction of a second, then rapidly cooled. With the tube under vacuum, extraneous gases were vented, leaving mostly pure metallics to be harvested.



An electron microscope image shows tungsten disulfide in its metastable 1T state. The orange dots represent sulfur atoms, the blue represent tungsten.

According to the Yakobson team's calculations, the large energy input forces structural defects to appear in the materials' crystal lattices, adding negative charges that make 1T the thermodynamically preferred phase.

"It is an interesting fast-forward incarnation of Le Chatelier's principle: Under voltage, the material changes to a more conducting 1T phase, to counteract/reduce the applied electric fields," said co-author Ksenia Bets, a researcher in the Yakobson group. "Our detailed computations reveal that the kinetic path is indirect: The sublimating sulfur creates a vacancy-rich lattice that energetically prefers a 1T structure."

The fact that conditions and additives can influence the final product should lead to a systematic study about possible variations, Tour said.

Read the [original article](#) on Rice University.