
Unlocking Efficient Light-energy Conversion with Stable Coordination Nanosheets

2021-07-21

Two-dimensional "nanosheets" made of bonds between metal atoms and organic molecules are attractive candidates for photoelectric conversion, but get corroded easily. In a new study, scientists from Japan and Taiwan present a new nanosheet design using iron and benzene hexathiol that exhibits record stability to air exposure for 60 days, signaling the commercial optoelectronic applications of these 2D materials in the future.

Converting light to electricity effectively has been one of the persistent goals of scientists in the field of optoelectronics. While improving the conversion efficiency is a challenge, several other requirements also need to be met. For instance, the material must conduct electricity well, have a short response time to changes in input (light intensity), and, most importantly, be stable under long-term exposure.

Lately, scientists have been fascinated with "coordination nanosheets" (CONASHs), that are organic-inorganic hybrid nanomaterials in which organic molecules are bonded to metal atoms in a 2D network. The interest in CONASHs stems mainly from their ability to absorb light at multiple wavelength ranges and convert them into electrons with greater efficiency than other types of nanosheets. This feat was observed in a CONASH comprising a zinc atom bonded with a porphyrin-dipyrroin molecule. Unfortunately, the CONASH quickly became corroded due to the low stability of organic molecules in liquid electrolytes (a medium commonly used for current conduction).

"The durability issue needs to be solved to realize the practical applications of CONASH-based photoelectric conversion systems," says Prof. Hiroshi Nishihara from Tokyo University of Science ([TUS](#)), [Japan](#), who conducts research on CONASH and has been trying to solve the CONASH stability problem.

Now, in a recent study published in [Advanced Science](#) as a result of a collaborative research between National Institute for Materials Science ([NIMS](#)), [Japan](#) and TUS, Prof. Nishihara and his colleagues, Dr. Hiroaki Maeda and Dr. Naoya Fukui from TUS, Dr. Ying-Chiao Wang and Dr. Kazuhito Tsukagoshi from NIMS, Mr. Chun-Hao Chiang and Prof. Chun-Wei Chen from National [Taiwan](#) University, [Taiwan](#), and Dr. Chi-Ming Chang and Prof. Wen-Bin Jian from National Chiao-Tung University, [Taiwan](#), have designed a CONASH comprising an iron (Fe) ion bonded to a benzene hexathiol (BHT) molecule that has demonstrated the highest stability under air exposure reported so far. The new FeBHT CONASH-based photodetector can retain over 94% of its photocurrent after 60 days of exposure! Moreover, the device requires no external power source.

What made such a feat possible? Put simply, the scientists made some smart choices. Firstly, they went for an all-solid architecture by replacing the liquid electrolyte with a solid-state layer of Spiro-OMeTAD, a material known to be an efficient transporter of "holes" (vacancies left behind by electrons). Secondly, they synthesized the FeBHT network from a reaction between iron ammonium sulfate and BHT, which accomplished two things: one, the reaction was slow enough to keep the sulfur group protected from being oxidized, and two, it helped the resultant FeBHT network become resilient to oxidation, as the scientists confirmed using density functional theory calculations.

In addition, the FeBHT CONASH favored high electrical conductivity, showed an enhanced photoresponse with a conversion efficiency of 6% (the highest efficiency previously reported was 2%), and a response time < 40 milliseconds for UV light illumination.

With these results, the scientists are thrilled about the prospects of CONASH in commercialized optoelectronic applications. "The high performance of the CONASH-based photodetectors coupled with the fact that they are self-powered can pave the way for their practical applications such as in light-receiving sensors that can be used for mobile applications and recording the light exposure history of objects," says Prof. Nishihara excitedly.

And his vision may not be too far from being realized!



Scientists from [Japan](#) and [Taiwan](#) designed a nanosheet material using iron and benzenhexathiol that made for a high-performance self-powered UV photodetector with a record current stability after 60 days of air exposure.

Read the [original article](#) on Tokyo University of Science.