

## Nanoparticles May Be the Next-generation Solution for Teeth Whitening



2022-06-26

In a recent study published in American Chemical Society (ACS) Nano, researchers reviewed nanoparticles (NPs) as next-generation whitening agents for teeth.

### Background

Dental esthetics such as color are essential for patients; for instance, a study found that 34% of adults in the [United States](#) were dissatisfied with their tooth color. A survey in the [United Kingdom](#) reported that more than 96% of participants believed that dental esthetics influenced their self-confidence and psychosocial behavior.

Different methods have been introduced for whitening teeth, such as bleaching toothpastes, scaling, and polishing. There are three methods of tooth whitening: at-home, in-office, and over-the-counter (OTC) whitening. All methods use carbamide peroxide and hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) as whitening agents. A higher concentration of H<sub>2</sub>O<sub>2</sub> generates more free radicals leading to tooth whitening.

NPs could stabilize whitening agents and regulate their release in oral environments. Moreover, recent studies have revealed that most NPs also exhibit tooth whitening effects. In the present review, researchers discussed various perspectives on NP-based tooth whitening as next-generation solutions for whitening.

### Tooth-whitening procedures and complications

In-office whitening process, termed chairside bleaching, is performed by a professional

---

dentist with 15% - 20% of H<sub>2</sub>O<sub>2</sub> up to three times for 15 to 20 minutes. The at-home method requires self-administration of treatment for three to eight hours for several weeks, supervised by a dentist. This method uses 3.5% - 6.5% H<sub>2</sub>O<sub>2</sub> for overnight application or 7.5% if performed during the day.

OTC methods could be performed using whitening dentifrices, dental floss, rinses, or toothbrushes, and are less than 3% H<sub>2</sub>O<sub>2</sub>. Moreover, modern tooth-whitening products contain inactive ingredients with specific functionalities in augmenting the effectiveness of tooth whitening. These inactive components could be thickening agents, stabilizers, preservatives, carriers, flavoring, and activating agents.

Although using higher amounts of H<sub>2</sub>O<sub>2</sub> results in an excellent whitening effect, overexposure in quantity and time could cause burns in the mouth. Nonetheless, since dentists regulate the concentration of H<sub>2</sub>O<sub>2</sub>, the adverse effects could be minimized.

### **NPs for tooth whitening**

NPs have unique biological properties, unlike whitening agents, and have been used in different applications in prosthetic dentistry, implants, restorative dentistry, periodontology, and oral cancer treatments. NPs also exhibit antibacterial, antifungal, and antiviral properties. Nevertheless, few studies have used NPs for tooth whitening because of the belief that NPs might irreversibly damage teeth through invasive whitening.

However, the use of NPs for tooth whitening has received considerable attention lately, given that some NPs were found to enhance the chemical activity in non-invasive whitening. Gold NPs (AuNPs), zinc oxide (ZnO), titanium dioxide (TiO<sub>2</sub>), silica, and hydroxyapatite (HA) are the currently used NPs for tooth whitening.

Metal or metal oxide NPs like AuNP, ZnO, TiO<sub>2</sub>, and silver NP (AgNP) are well known for their antibacterial and anti-inflammatory properties. They have been used in oral care products for preventing oral diseases. NPs produce reactive oxygen species (ROS) such as single oxygen, superoxide radicals, hydroxyl radicals, and H<sub>2</sub>O<sub>2</sub> when bacteria exist in oral environments.

The type of ROS differs based on NPs; for instance, ZnO and AuNPs generate H<sub>2</sub>O<sub>2</sub>, whereas AgNPs form hydroxyl radicals. Therefore, AuNPs, ZnO, and cupric oxide (CuO) have been reported to be suitable for whitening.

### **Metal and metal oxide NPs**

In one study, researchers demonstrated that mice administered with 20mg/kg of AuNPs for 90 days had minimal changes in biochemical and hematological factors and that the differences were toxicologically insignificant. Another research group showed that the whitening effect of H<sub>2</sub>O<sub>2</sub> was significantly increased by using AuNPs, albeit the toxicity of AuNPs during whitening could not be ruled out.

A research team showed that ZnO-biomass carbon (BC) composite had an excellent whitening effect using long-wavelength light. Further, color levels of teeth were improved, and no toxicity was detected in vitro and in vivo. In a study, researchers investigated the effect of light irradiation on whitening with H<sub>2</sub>O<sub>2</sub>-containing TiO<sub>2</sub> NPs. They showed that 3.5% H<sub>2</sub>O<sub>2</sub>-containing TiO<sub>2</sub> NPs had the same whitening effect as that of 35% H<sub>2</sub>O<sub>2</sub>, with the most substantial effect at 405 nm diode laser.

### **Ceramic materials as NPs**

HA is a ceramic that forms the inorganic component of bones. Thus, HA NPs have significant advantages because they have a strong affinity for demineralized surfaces and feature properties similar to the building blocks of enamel. Hence, these NPs could form an apatite layer overlaying the interprismatic and prismatic enamel. HA NPs could help restore mineral density and translucency. One study reported that the whitening effect amplified with the increase in concentrations of HA NPs.

In a randomized controlled trial, researchers found that people who brushed their teeth with toothpastes containing HA NPs had significantly improved tooth color. Besides, some have reported HA NP-containing oral products were safe. A toothpaste containing hydrated silica was shown to make teeth less yellow and whiter after brushing, while others found excellent

stain removal characteristics and antifouling effects.

## **Conclusions**

The authors illustrated different NPs for tooth whitening. AuNPs, TiO<sub>2</sub>, and ZnO NPs could produce ROS with whitening and antibacterial effects, while HA could remineralize teeth besides whitening. They posit that metal and metal oxide NPs could have substantial potential as next-generation whitening agents. Nevertheless, several challenges remain for applying NPs for tooth whitening, and commercial use (of NPs) could advance in the future with increasing evidence.

Read the [original article](#) on News Medical.