

Nano Science, Technology and Industry Scoreboard

Shrinking Hydrogels Enlarge Nanofabrication Options

2022-12-26 Researchers from Pittsburgh and Hong Kong print intricate, 2D and 3D patterns.

<u>Carnegie Mellon University</u>'s Yongxin (Leon) Zhao and the <u>Chinese University of Hong Kong</u>'s Shih-Chi Chen have a big idea for manufacturing nanodevices.

Zhao's Biophotonics Lab develops novel techniques to study biological and pathological processes in cells and tissues. Through a process called expansion microscopy, the lab works to advance techniques to proportionally enlarge microscopic samples embedded in a hydrogel, allowing researchers to be able to view fine details without upgrading their microscopes.

×

Demonstration of material variety. (A) Fluorescent image of two dragons of cadmium selenide quantum dots without shrinking; the inset shows a resolution of ~200 nm. (B-F) Scanning electron microscope (top) and energy-dispersive X-ray spectroscopy (bottom) images of a monkey of silver; pig of gold-silver alloy; snake of titanium dioxide; dog of iron oxide; and rabbit of NaYREF4, respectively. (G) Designed dragon patterns in (A). (H) Optical microscopy image of an ox of diamond. (I-M) Fluorescent images of a tiger of graphene quantum dots; goat of fluorescent gold; horse of polystyrene; rooster of fluorescein; and mouse of fluorescent protein, respectively.

In 2019, an inspiring conversation with Shih-Chi Chen, who was visiting Carnegie Mellon as an invited speaker and is a professor at the Chinese University of Hong Kong's Department of Mechanical and Automation Engineering, sparked a collaboration between the two researchers. They thought they could use their combined expertise to find novel solutions for the long-standing challenge in microfabrication: developing ways to reduce the size of

printable nanodevices to as small as 10s of nanometers or several atoms thick.

Their solution is the opposite of expansion microscopy: create the 3D pattern of a material in hydrogel and shrink it for nanoscale resolution.

"Shih-Chi is known for inventing the ultrafast two-photon lithography system," said Zhao, the Eberly Family Career Development Associate Professor of Biological Sciences. "We met during his visit to Carnegie Mellon and decided to combine our techniques and expertise to pursue this radical idea."

The results of the collaboration open new doors for designing sophisticated nanodevices and are published in the journal Science.

While conventional 3D nanoscale printers focus a laser point to serially process materials and take a long time to complete a design, Chen's invention changes the width of the laser's pulse to form patterned light sheets, allowing for a whole image containing hundreds of thousands of pixels (voxels) to be printed at once without compromising the axial resolution.

The manufacturing technique is called femtosecond project two-photon lithography, or FP-TPL. The method is up to 1,000 times faster than previous nanoprinting techniques and could lead to cost-effective large scale nanoprinting for use in in biotechnology, photonics or nanodevices.

For the process, researchers would direct the femtosecond two-photon laser to modify the network structure and pore size of the hydrogel, which then creates boundaries for waterdispersible materials. The hydrogel would then be immersed in water containing nanoparticles of metal, alloys, diamond, molecular crystals, polymers or fountain pen ink.

"Through fortuitous happenstance, the nanomaterials we tried were all attracted automatically to the printed pattern in hydrogel and assembled beautifully," Zhao said. "As

2

the gel shrinks and dehydrates, the materials become even more densely packed and connect to each other."

For example, if a printed hydrogel is placed into a silver nanoparticle solution, the silver nanoparticles self-assemble to the gel along the laser-printed pattern. As the gel dries out, it can shrink to up to 13 times its original size, making the silver dense enough to form a nano silver wire and conduct electricity, Zhao said.

Because the gels are three-dimensional, printed patterns can be as well.

As a demonstration of the technique's use for encrypted optical storage — such as how CDs and DVDs are written and read with a laser — the team designed and built a seven-layer 3D nanostructure that read "SCIENCE" after it was optically decrypted.

×

Fabrication of DOE and applications in 3D optical storage and encryption. (A) Scanning electron microscope (SEM) image and a zoom-in view of a fabricated diffractive optical element (DOE). (B) Simulated intensity distribution at the Fourier plane of the DOE; inset: an encoded smiley. (C) Image recorded from the fabricated DOE in (A). The 0th order is spatially blocked to avoid camera damage. (D) Schematic of the optical setup to record the encoded image. (E-G) Demonstration of optical storage and encryption: (E) an expanded hydrogel patterned with designed information; (F) the gel in (E) after fully shrinking and dehydration to realize physical encryption; (G) the re-expanded gel is deposited with cadmium selenide and developed to decrypt the stored patterns. (H) Optical image showing two encrypted 7-layer hologram patterns in (F). (I) Fluorescent images of the decrypted holograms, where "Science" is decoded; and (J, K) 3D views of the decrypted holograms.

Each layer contained a 200x200-pixel hologram of a letter. After shrinking the sample the entire structure appears as a translucent rectangle under an optical microscope. One would need the right information on how much to expand the sample and where to shine a light through to read the information.

"Based on our result, the technique can pack 5 petabits worth of information in a tiny cubic centimeter of space. That's roughly 2.5 times of all U.S. academic research libraries combined." he said.

Zhao said that in the future the researchers' goal is to build functional nanodevices with multiple materials.

"In the end we would like to use the new technology to fabricate functional nanodevices, like nanocircuits, nanobiosensors, or even nanorobots for different applications," Zhao said. "We are only limited by our imagination."

Read the original article on Carnegie Mellon University.