

Exploding and Weeping Ceramics Provide Path to New Shape-shifting Material



2021-12-01

An international team of researchers from the University of Minnesota Twin Cities and Kiel University in Germany have discovered a path that could lead to shape-shifting ceramic materials. This discovery could improve everything from medical devices to electronics.

The research is published open access in [Nature](#), the world's leading multidisciplinary science journal.

Anyone who has ever dropped a coffee cup and watched it break into several pieces, knows that ceramics are brittle. Subject to the slightest deformation, they shatter. However, ceramics are used for more than just dishes and bathroom tiles, they are used in electronics because, depending on their composition, they may be semiconducting, superconducting, ferroelectric, or insulating. Ceramics are also non corrosive and used in making a wide variety of products, including spark plugs, fiber optics, medical devices, space shuttle tiles, chemical sensors, and skis.

On the other end of the materials spectrum are shape memory alloys. They are some of the most deformable or reshapable materials known. Shape memory alloys rely on this tremendous deformability when functioning as medical stents, the backbone of a vibrant medical device industry both in the Twin Cities area and in [Germany](#).

The origin of this shape-shifting behavior is a solid-to-solid phase transformation. Different from the process of crystallization–melting–recrystallization, crystalline solid–solid transitions take place solely in the solid state. By changing temperature (or pressure), a crystalline solid can be transformed into another crystalline solid without entering a liquid phase.



Creating shape-shifting materials is not an easy process. It involves a delicate tuning of the distances between atoms by compositional changes, so that the two phases fit together well. This diagram shows what happened when researchers implemented this recipe with one sample of ceramic material. Instead of improving the deformability of the ceramic, they observed that some specimens gradually fell apart into a pile of powder, a phenomenon they termed “weeping.”

In this new research, the route to producing a reversible shape memory ceramic was anything but straightforward. The researchers first tried a recipe that has worked for the discovery of new metallic shape memory materials. That involves a delicate tuning of the distances between atoms by compositional changes, so that the two phases fit together well. They implemented this recipe, but, instead of improving the deformability of the ceramic, they observed that some specimens exploded when they passed through the phase transformation. Others gradually fell apart into a pile of powder, a phenomenon they termed “weeping.”

With yet another composition, they observed a reversible transformation, easily transforming back and forth between the phases, much like a shape memory material. The mathematical conditions under which reversible transformation occurs can be applied widely and provide a way forward toward the paradoxical shape-memory ceramic.

“We were quite amazed by our results. Shape-memory ceramics would be a completely new kind of functional material,” said Richard James, a co-author of the study and a Distinguished McKnight University Professor in the [University of Minnesota](#)’s Department of Aerospace Engineering Mechanics. “There is a great need for shape memory actuators that can function in high temperature or in corrosive environments. But what excites us most is the prospect of new ferroelectric ceramics. In these materials, the phase transformation can be used to generate electricity from small temperature differences.”

The team from [Germany](#) was responsible for the experimental part and the chemical and structural investigation at the nanoscale.

“For the explanation of our experimental discovery that, contrary to expectation, the ceramics are extremely incompatible and explode or decay, the collaboration with Richard James’ group at the University of Minnesota was very valuable,” says Eckhard Quandt, a co-author of the study and a professor in the Institute for Materials Science, at [Kiel University](#). “The theory developed on this basis not only describes the behavior, but also shows the way to get to the desired compatible shape memory ceramics.”

Read the [original article](#) on University of Minnesota.