

Quantum One-way Street in Topological Insulator Nanowires

2022-05-17

Very thin wires made of a topological insulator could enable highly stable qubits, the building blocks of future quantum computers. Scientists see a new result in topological insulator devices as an important step towards realizing the technology's potential.

An international group of scientists have demonstrated that wires more than 100 times thinner than a human hair can act like a quantum one-way street for electrons when made of a peculiar material known as a topological insulator.

The discovery opens the pathway for new technological applications of devices made from topological insulators and demonstrates a significant step on the road to achieving so-called topological qubits, which it has been predicted can robustly encode information for a quantum computer.

To achieve this result, the groups of Professor Dr. Jelena Klinovaja and Professor Dr. Daniel Loss at the [University of Basel](#) closely collaborated with experimental physicists at the [University of Cologne](#) in the group of Professor Dr. Yoichi Ando. Their study has now been published in [Nature Nanotechnology](#).



Applying a magnetic field causes current to flow more easily in one direction along the nanowire than in the opposite one.

Insulator on the inside, conductor on the outside

Topological insulators are materials in which a combination of quantum mechanics and the

mathematical concept of topology produce conductive surfaces and insulating interiors. Topological insulators are highly promising candidates for future technologies and as potential platforms for quantum computing.

The researchers were able to show that, under the right circumstances, electric currents can flow more easily in one direction compared to the other, a process known as rectification. Rectification offers a wide range of applications and forms the basis of most wireless technologies.

Rectifiers found in smartphones, for example, are now made of semiconductor diodes. However, the current rectification effect discovered in topological insulator nanowires arises as a result of quantum mechanics and is extremely controllable.

Usually, quantum rectification effects arise as a result of something known as spin-orbit coupling, which is a mix of quantum mechanics and Einstein's theory of relativity. As one might expect, that strange mix normally results in tiny rectification effects.

"What's great about the topological insulator nanowires is that we can artificially produce essentially the same physics but with a much larger magnitude," says Dr. Henry Legg, Georg H. Endress postdoctoral fellow at the University of Basel and first author of the paper. "This leads to a rectification effect that's really huge compared to other materials. It's also one of the aspects that makes topological insulators so exciting for applications in quantum computing."

Robust quantum information

Quantum computers promise unprecedented computing power, but are very susceptible to the influence of the external environment. One proposed solution to the fragility of quantum units of information – so-called qubits – are topological qubits, which it is predicted will be far more stable against the influences of the external environment. This protection also arises as a result of the mathematics of topology that underlies the properties of topological insulators.

Topological insulators have long been considered as good candidates to be the basis for topological quantum computers. However, good control over topological insulator devices is essential to be able to produce topological qubits.

“Our study not only discovered a unique and very large quantum effect, but it also shows that we have an excellent degree of understanding what is happening in these systems. It seems like all the key properties of topological insulators are there to move forward on the path to making topological qubits,” Klinovaja comments.

Read the [original article](#) on University of Basel.